



## Module I Case CBSTC5845



20 kWh  
ECR

## Proven Safety for Battery Storage and Shipping


The premier solution for preventing and containing hazardous battery fires. The CellBlock 5845 Module I Case is capable of accommodating large-format batteries and offers extreme protection against lithium-ion thermal events with 360° fire suppression coverage for all of its contents.

A double-walled system is paired with CellBlock's proprietary fire panels for exceptional thermal protection. The pressure relief system mitigates smoke and fumes and eliminates risk of explosion due to overpressurization.


- ✓ Patented FCP Technology
- ✓ CellBlockEX<sup>®</sup> Deployment
- ✓ Gas Mitigation
- ✓ Heavy-duty stabilizing locking feet and fork lift glides
- ✓ Optional Battery Support Tray
- ✓ Thermal and ballistic protection
- ✓ Safe and compliant transportation of batteries, including damaged, defective, and prototype.
- ✓ UN rated and Special Permit 20549 and 21442 authorized
- ✓ P911/LP906 Tested and Certified
- ✓ Optional Fire Suppression Pillows
- ✓ Optional TAS (Thermal Alert System)



**Tested beyond compliance.** We subject our cases to "worst-case scenario" testing.



Effective suppression with a self-deployed extinguishing system featuring **CellBlockEX Technology**



**Available with TAS** (Thermal Alert System) to provide proactive battery fire detection.

# CBSTC5845 SPECIFICATIONS



<b>UN Mark</b>	50B/X/S/* **/USA/M6484/0/966 ** year of manufacture
<b>Exterior Dimensions</b>	64" x 46" x 28.3"h 162.6cm x 116.8cm x 71.9cm
<b>Interior Dimensions</b>	55.5" x 38.5" x 14.5"h 141cm x 97.8cm x 36.8cm
<b>Tare Weight</b>	502 lbs 228 kg
<b>Max. Content Weight</b>	1627 lbs max. 738 kg max.
<b>Gross Weight Limit</b>	2130 lbs max. 966 kg max.

