Li-Ion Battery Cabinets

The Safest Charging and Storage Solution

CellBlock®
Fire Containment Systems

The Ultimate Insurance Against Lithium-ion Battery Fires

CBSC3672
Floor Cabinet

Store Batteries with Confidence

CellBlock cabinets are a superior solution for the safe storage of lithium-ion batteries and devices containing them. This robust cabinet is manufactured from aluminum and lined with CellBlock's proprietary fire proof composite and patented fire panel. CellBlockEX technology ensures both insulation and fire-suppression capabilities.

Enhance Workplace Safety

CellBlock cabinets can accomodate damaged, defective or prototype batteries. With the addition of optional power strips, the cabinets will also provide a secure means to charge tool and equipment batteries.

Simply Brilliant Extinguishing and Containment

- Self-deployed **CellBlockEX**® Extinguishing System
- CellBlock's patented FCP (Fire Containment Panel) Technology lightweight composite linings within an aluminum frame
- Gas and pressure relief filters eliminate smoke and fumes
- Extinguishing system is rechargeable

What is CellBlockEX?

CellBlockEX is a proven mineral fire-suppressant capable of halting thermal propagation in devices, batteries, and cells.

- Environmentally-friendly and sustainable — made from 100% recycled glass
- Lightweight and absorbent
- Free from crystalline silicate and asbestos

The CellBlock extinguishing system automatically deploys when flame or high heat is present.

Intelligent Design

Pressure relief filters eliminate smoke and fumes


Add optional 110V power strips for safe charging

CBSC1952
Benchtop Cabinet

	FLOOR	LARGE FLOOR	MAX FLOOR	SMALL BENCHTOP	LARGE BENCHTOP
PART NUMBER	CBSC3672	CBSC6165	CBSC6172	CBSC2537	CBSC1952
NUMBER OF SHELVES	5	4	5	2	3
SHELF SPACING (Standard)	11.2″ (28.4 cm)	11.6″ (29.5 cm)	11.2″ (28.4 cm)	12″ (30.5 cm)	10″ (25.4 cm)
ECR (Energy Containment Rating)	8.5	40	56	5	7.7
WEIGHT	600 lbs (272 kg)	1500 lbs (680 kg)	1800 lbs (816 kg)	(400 lbs) 181 kg	(480 lbs) 218 kg
BASE	Locking heavy-duty stabilizing feet			Adjustable leveling feet*	

Available Upgrades

EMS	Exhaust Monitoring System
110V POWER STRIPS	Add up to one powerstrip per shelf**
STABILIZING CASTERS*	Locking heavy-duty stabilizing feet available as optional upgrade for Benchtop Cabinets

**Power strips and wiring installed in cabinet. Cabinet must be installed by a licensed electrician.

800-440-4119   cellblockfcs.com

Floor Cabinet CBSC3672

36.2"
(91.9 cm)

77.5"
(196.9 cm)

19.7"
(50 cm)

ECR
8.5 kWh
1.7 per shelf

22.1"
(56.1 cm)
WITH ELECTRIC OPTION

INTERIOR WIDTH: 30.5" (77.5 cm)
INTERIOR HEIGHT: 67" (170.2 cm)
INTERIOR DEPTH: 13.8" (35 cm)
HEIGHT BETWEEN SHELVES: 11.2" (28.4 cm)

Capacity: 13.8 cu.ft.
Shown with optional power strips

Bench Top Cabinet CBSC1952

52.2"
(132.6 cm)

19.7"
(50 cm)

41.4"
(105.2 cm)

ECR
7.7 kWh
2.6 per shelf

1.8" (4.6 cm)
ADJUSTABLE

22.1"
(56.1 cm)
WITH ELECTRIC OPTION

INTERIOR WIDTH: 48" (121.9 cm)
INTERIOR HEIGHT: 36" (91.4 cm)
INTERIOR DEPTH: 14" (35.6 cm)
HEIGHT BETWEEN SHELVES: 10" (25.4 cm)

Capacity: 11.6 cu.ft.
*Shown with optional power strips*

ECR
40 kWh
10 per shelf

Large Floor Cabinet CBSC6165

61.3"
(155.7 cm)

35.6"
(90.4 cm)

65.5"
(166.4 cm)

38"
(96.5 cm)
WITH ELECTRIC OPTION

INTERIOR WIDTH: 55.8" (141.7 cm)
INTERIOR HEIGHT: 54.6" (138.7 cm)
INTERIOR DEPTH: 30" (76.2 cm)
HEIGHT BETWEEN SHELVES: 11.6" (29.5 cm)

Capacity: 46.5 cu.ft.
*Shown with optional power strips*

CBSCv1.08272025

CellBlock
Fire Containment Systems

CellBlockEX
FIRE/HEAT/SMOKE SUPPRESSANT

800-440-4119   cellblockfcs.com

Max Cabinet CBSC6172

CellBlock
Fire Containment Systems

Lithium Ion Battery Storage

ECR
56 kWh
11.2 per shelf

61.3"
(155.7 cm)

40"
(101.6 cm)

77.5"
(196.9 cm)

72"
(182.9 cm)

42.4"
(107.7 cm)

WITH ELECTRIC OPTION

INTERIOR WIDTH: 55.8"   (141.7 cm)
INTERIOR HEIGHT: 66.6"   (169.2 cm)
INTERIOR DEPTH: 34.4"   (87.4 cm)
HEIGHT BETWEEN SHELVES: 11.2"   (28.4 cm)

Capacity: 61.4 cu.ft.
Shown with optional power strips

Toolbox Cabinet CBSC2537

70"
(178 cm)

A

A

30"
(75 cm)

32 "
(81 cm)

SECTION A-A

37.25"
(95 cm)

36.5 "
(92 cm)

38"
(97 cm)
OVERALL

26"
65 cm

28"
(71cm)

INTERIOR WIDTH: 32"   (81.3 cm)
INTERIOR HEIGHT: 31.5"   (80.0 cm)
INTERIOR DEPTH: 20"   (50.8 cm)
HEIGHT TOP SHELF: 12.5"   (32.0 cm)
HEIGHT BOTTOM SHELF: 15"   (39.0 cm)

Capacity: 8.88 cu.ft.
Powerstrips optional

ECR
5 kWh
2.5 per shelf

Optional upgrades:
• Locking heavy-duty stabilizing feet

CBSCv1.08272025

CellBlock
Fire Containment Systems

CellBlockEX
FIRE/HEAT/SMOKE SUPPRESSANT

800-440-4119   cellblockfcs.com

CellBlock®

Fire Containment Systems

234 Northeast Road, Unit 5
Standish, ME 04084
800-440-4119   cellblockfcs.com